

Devartment of Education

Cordillera Administrative Region SCHOOLS DIVISION OF BAGUIO CITY

REQUEST FOR QUOTATION

Standard Form No.:SF-GOOD-60 Revised on: May 24, 2004

Standard Form Title: Request for Quotation

Supplier:

Address:

Telephone No.:

e-Mail:

Date received by the Supplier:

Requesting Unit: OSDS/H. Dizon

PR No.: 2022-10-218

Quotation No.: 2022-10-206 Date: October 12, 2022

ABC: 592,300.00

Please quote your lowest price on the item/s listed, subject to the General Conditions below, stating the shortest time of delivery and submit your quotation in a sealed envelope duly signed by your representative not later than October 20, 2011 29am

Chief- Curriculum Implementation Division

Chairman, Bids and Awards Committee

POSTED IN PHILGEPS

REQUIREMENTS:

- 1. Mayor's / Business permit
- 2. PhilGEPS registration number or certificate
- 3. Omnibus Sworn Statement

Note:

- Submit RFQ together with the requirements.
- All entries must be typewritten or legibly written.
- Delivery period within Calendar Days.
- Price validity shall be for a period of 30 Calendar Days.

Item	Qty.	Unit	Item Description	Unit Price	Total Price
No. 1	3	Sets	Factory Built Desktop Computer With Discrete Video Card for Multiple Display -Tower Form Factor/Chassis -No Operating System -12th Generation Processor, 6 Cores, 12 Threads, 18MB Cache,Base Frequency: 2.50 GHz up to Max Turbo Frequency: 4.40 GHz -8GB (1x 8GB) DDR4, Four(4) Memory Slots; Upgradable Up to 128GB -1 TB 3.5-inch 7200 RPM -2 GB of DDR3 Video Card (supporting: VGA, DVI, HDMI) -7.1 CH HD Audio -Gigabit LAN Port -With Wifi 6 Adapter		









Department of Education

Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

Prower Supply: 300W 12V (TFX)82+ Active PrC -With 21.5" LED Display 60 Hz (VGA/HDMI Support) Front I/O connectors: • Audio jack(s): 2 (In/Out), • USB3.2 Gen2 Type-A: 1 (w/1.5A Sharing@S5), • USB3.2 Gen1 Type-A: 3, • USB3.2 Gen2 Type-C: 1 Rear I/O connectors: • VGA port(s): 1, • HDMI 2.1 port(s): 1, DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x16 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000: 1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D) Panel Type: IPS
-With 21.5" LED Display 60 Hz (VGA/HDMI Support) Front I/O connectors: • Audio jack(s): 2 (In/Out), • USB3.2 Gen2 Type-A: 1 (w/1.5A Sharing@S5), • USB3.2 Gen1 Type-A: 3, • USB3.2 Gen2 Type-C: 1 Rear I/O connectors: • VGA port(s): 1, • HDMI 2.1 port(s): 1, • DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Support) Front I/O connectors: • Audio jack(s): 2 (In/Out), • USB3.2 Gen2 Type-A: 1 (w/1.5A Sharing@S5), • USB3.2 Gen1 Type-A: 3, • USB3.2 Gen2 Type-C: 1 Rear I/O connectors: • VGA port(s): 1, • HDMI 2.1 port(s): 1, • DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Front I/O connectors: Audio jack(s): 2 (In/Out), • USB3.2 Gen2 Type-A: 1 (w/1.5A Sharing@S5), • USB3.2 Gen1 Type-A: 3, • USB3.2 Gen2 Type-C: 1 Rear I/O connectors: • VGA port(s): 1, • HDMI 2.1 port(s): 1, • DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x4), • Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
• Audio jack(s): 2 (In/Out), • USB3.2 Gen2 Type-A: 1 (w/1.5A Sharing@S5), • USB3.2 Gen1 Type-A: 3, • USB3.2 Gen2 Type-C: 1 Rear I/O connectors: • VGA port(s): 1, • HDMI 2.1 port(s): 1, • DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCI slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Type-A: 1 (w/1.5A Sharing@S5), • USB3.2 Gen1 Type-A: 3, • USB3.2 Gen2 Type-C: 1 Rear I/O connectors: • VGA port(s): 1, • HDMI 2.1 port(s): 1, • DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Gen1 Type-A: 3, • USB3.2 Gen2 Type-C: 1 Rear I/O connectors: • VGA port(s): 1, • HDMI 2.1 port(s): 1, • DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Rear I/O connectors: • VGA port(s): 1, • HDMI 2.1 port(s): 1, • DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for SSD): 1 • M.2 slot (for SD):
• VGA port(s): 1, • HDMI 2.1 port(s): 1, • DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
DisplayPort 1.4 (DP) ports: 2, • COM port(s): 1, • RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
• RJ45 port(s): 1, • Audio jack(s): 3 (IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
(IN/Out/MIC), • USB 2.0 Port(s): 4 • Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
• Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
• Number of PCIe x16 slot(s): 2 (One of slots is PCIe 3.0 x4), • Number of PCIe x1 slot(s): 1 (PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
(PCIe 3.0 x1), Number of PCI slot(s): 1 • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
• M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
• M.2 slot (for WLAN): 1 USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
USB Keyboard and USB Optical Mouse Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Warranty: 3 Year Parts - 3 Year Labor Only Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Universal Docking Station 10 IN 1 Hub, Type C Ports: Gigabit Ethernet, type C PD charging port, 4K HDMI port, 3 USB 3.0 Ports, SD/TF card reader, 3.5mm Audio jack and a 1080P VGA -100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
2 Pieces
2 Pieces
-100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
-100W power delivery charging port 1 year warranty 29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
29-inch UltraWide Full HD Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Resolution: 2560 x 1080 Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Aspect Ratio 21: 9 Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Brightness (Min.) 200 cd/m² Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Color Gamut (Min.): sRGB 90% (CIE1931) Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Contrast Ratio (Typ.): 1000:1 Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Viewing Angle (CR≥10): 178°(R/L), 178°(U/D)
Panel Type: IPS
Tunor Type. It s
Pixel Pitch: 0.2626 x 0.2628 mm
Brightness (Typ.): 250 cd/m ²
3 2 Pieces Color Gamut (Typ.): sRGB 99% (CIE1931)
Contrast Ratio (Min.): 700:1
Response Time: 5ms (GtG at Faster)
Surface Treatment : Anti-Glare
Connectivity: HDMI x 2, HDMI (HDCP
Version):2.2
HDMI (Max. Resolution at Hz): 75Hz
With Headphone Out
Power:
Type: External Power (Adapter)

"DepEd SDO Baguio City: We Serve, We Care."







Department of Education

Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

				SCHOOLS DIVISION OF BAGUIO CITY	
T				AC Input: 100-240Vac, 50/60Hz	
				Power Consumption (Max.): 25W	
				Display Position Adjustments: Tilt	
				Wall Mountable: 100 x 100 mm	
				Accessory: HDMI Cable	
				Warranty: 1 year	
-				Minimum of 21.5" Monitor IPS FHD 1920x1080	
				-with VGA and HDMI port 60Hz or higher	
				-with display and power connectors	
		_	D.	Response time: 5MS, flicker free	
	4	5	Pieces	Brightness: 250 NITS	
				Aspect ratio: 16:9	
				Power source: 100 - 240V 50/60Hz	
-				1 year warranty	
				SATA 2.5" SSD 500GB SATA 6 Gbps	
				Interface	
				Read/write speeds of up to 560/530 MB/s 560	
	5	4	Pieces	MB/s Sequential Read 530 MB/s Sequential	
				Write	
				1 year warranty	
				DESKTOP RAM	
				16GB DUAL DDR4 3200MHz 8GBx2	
	6	4	Pieces	MEMORY Kit	
				1 year warranty	
				Metal Bracket for Tablet	
				-Adjustable Angle	
				-Foldable	
				-Metal material with plastic covering	
	7	1	Piece	-Screws are hidden	
				-Can handle tablet up to 10" size	
				-180 degrees rotatable base	
				-360 degrees rotatble tablet holder	
				-not less than 250grams in weight	
				4-CH HDMI VIDEO SWITCHER/Mixer	
				4 channel auto-detected HDMI inputs	
				1×HDMI PGM output,1×HDMI multiview out,	
				1×USB type-C output	
				AUX output configurable and assignable	
				USB-C for capturing and streaming on PC	
	8	1	Piece	Clearly visible multiview & status page	
	0	1	riece	Upstream key: Luma key, Chroma key, PIP×2/	
				POP	
				Downstream key and LOGO overlay	
				T-bar/ Auto/ Cut transitions; various effects:	
MONO	F			WIPE(9×2 patterns) / MIX/ DIP	

"DepEd SDO Baguio City: We Serve, We Care."







Department of Education

Cordillera Administrative Region SCHOOLS DIVISION OF BAGUIO CITY

-				SCHOOLS DIVISION OF BAGOTO CITY	
				Audio mixer: HDMI embedded audio and 2-Ch MIC/ line In; audio delay available	
				Media library with default patterns, can store	
				imported images, captured images, and 2 color	
				generators	
				LAN port for PC software remote control	
-				1 year warranty	
				Network Attached Storage, 2Bay, Diskless	
				Drive BaysL: 2 Bays	
				Memory: 512MB RAM	
				RAID 1 protection	
				CPU Frequency: 64-bit 4-core 1.4 GHz	
				More than 112 MB/s reading and writing	
	0	2	D:	No public-cloud subscription fees	
	9	2	Pieces	Compatible Drives: 3.5" SATA HDD, 2.5"	
				SATA HDD (with optional 2.5" Disk Holder), 2.5" SATA SSD (with optional 2.5" Disk	
				Holder) RJ-45 1GbE LAN Port: 1	
				USB 3.2 Gen 1 Port*: 2	
				2-year hardware warranty	
				RoHS Compliant	
				11" Android Tablet with Kickstand, with Pen	
				Processor: (8C, 2x A76 @2.05GHz + 6x A55	
				@2.0GHz)	
				Display: 11" 2K (2000x1200) IPS TDDI 400nits	
				Memory: 8GB Soldered LPDDR4x	
				Storage: 256GB UFS 2.1	
				Chipset: SoC Platform	
				Graphics: Integrated	
				Camera: Front 8.0MP / Rear 8.0MP	
				Microphone: 2x, Array	
				Touchscreen: 10-point Multi-touch	
				Speakers: Quad speakers	
	10	5	Pieces	Battery: Integrated 7500mAh (Min.) / 7700mAh	
				(Typ.)	
				Max Battery Life: Standby time: 500 hr	
				Expandable Memory: MicroSD Card (Up to	
				512GB, FAT32; 1TB, exFAT)	
				Online video playback time: 15 hr	
				Talk time: 15 hr (WWAN model)	
				Browsing time: 15 hr	
				Charging time: Over 2 hr to fully charged	
				Power Adapter: 10V / 2.0A With Pen Support	
				Water Proofing: IP52	
JONO				water Froming, 11 32	









Department of Education

Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

			SCHOOLS DIVISION OF BAGUIO CITY	
			Connection: 11a/b/g/n/ac, 2x2 + BT5.0 Warranty: 1-year, Carry-in with 1-year Battery Certifications: ENERGY STAR 8.0, RoHS compliant OS: Android 11 or later Tablet Stylus	
11	2	Pieces	-Compatible with iPad Pro 11 and iPad Mini 6 -With Palm Rejection Technology -Strong magnetic absorption -Stylus automatically Enter standby mode, without any action, 5 minutes -Charging time: 1- 1.5 hours -Play time: 35 hours -Standby time: 365 days	
12	3	Boxes	Cat 6 UTP Cable Comply with Cat.6 specifications UTP 24AWG Solid:305M, Blue Colour Speeds up to 1000 Mbps 4 Pairs Unshielded Twisted Pair (UTP) Cable Conductor Metal: Solid Bare Copper with 24 AWG Color Code: Blue Jacket Material: PVC UL94V-0 PE Central Cross separator Insulation Diameter: 0.940mm Nominal Insulation Material: HD-PE Cable Diameter: 5.7mm	
13	1	Piece	Ergonomic Motorized Standing Desk with Cable Management Tray and CPU Holder (Adjustable Computer Tower Mount 180° Swivel Heavy Duty Up To 33LBS) Weight: 47.5kg Frame Color: Black or Grey Base Material: Steel Height Range: 605-1255mm Table Top Thickness: 25mm Loading Capacity: 125kg Number of Leg Stages: 3-stage Number of Motors: 2-motors Speed: 38mm per second With Anti-collision safety system With Controller: Up and down movement, 3 programmable memory, height memory, sit- stand reminder, advanced all in one back-lit keypad	









Department of Education

Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

			55.5.	TOTAL
17	3	Pieces	Wireless Presentation Clicker, Pointer Pen Type 100 meter distance Plug and play 2.4Ghz USB Bluetooth adapter (USBC/USBA) With Battery Buttons: Backward, forward, pointer, blank scren	
16	2	Sets	Projector Ceiling Bracket Adjustable Projector Ceiling And Wall Mount Kit Bracket Stand 12-24 inch Universal Projector Ceiling Mount – 15kgs. 360- degree Swivel Rotation and tilt +/- 15 degrees. Adjustable drop pole: 12" – 24". These Projector Ceiling Mount Compatible with Epson Projectors	
15	2	Sets	Motorized Projector Screen 120"x12" (10ftx10ft) Matte White Surface Synchronization Motor * With Wireless remote control Height adjustable, stopping at any height Designed for ceiling or wall mounting New, bright, high gain, fabric with good quality supplying clear and vivid pictures Weight: not morethan 15 kg Warranty: 1 Year	
14	2	Pieces	Ergonomic Anti Fatigue Mat for Standing Desk 32.3" x20.5" dimension 0.98" thick cushioning No-skid design, grooved bottom, non-slip With multiple massage points	
			stable construction Metal Cable Tray Dimension and weight: 50 x 11 x9 cm, 2 kilograms Warranty: 3 years on fiberboard desktop and mechanisms	
			Powder coated and seamless surface, robust and	

Purpose: Procurement of semi expandable ICT equipment and accessories for the Division Office









Department of Education

Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

Signature over Printed Name
Tin

Canvassed by:





ISO 9001:2015 Certified Quality Management System CRN RU-19.2560.026 Issued on 12/27/2019