




Republic of the Philippines
Department of Education
 Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

REQUEST FOR QUOTATION

Standard Form No.:SF-GOOD-60
 Revised on: May 24, 2004
 Standard Form Title: Request for Quotation

Supplier: Requesting Unit: OSDS/O. Olba
 Address: PR No.: 2022-12-311
 Telephone No.: Quotation No.: 2022-12-303
 e-Mail: Date: December 27, 2022
 Date received by the Supplier: ABC: 15,000.00

Please quote your lowest price on the item/s listed, subject to the General Conditions below, stating the shortest time of delivery and **submit your quotation in a sealed envelope** duly signed by your representative not later than January 5, 2023 @ 9am


JULIET C. SANNAD
 Chief- Curriculum Implementation
 Division
 Chairman, Bids and Awards Committee

REQUIREMENTS:

1. Mayor's / Business permit
2. PhilGEPS registration number or certificate
3. Omnibus Sworn Statement

Note:

- ✓ Submit RFQ together with the requirements.
- ✓ All entries must be typewritten or legibly written.
- ✓ Delivery period within _____ Calendar Days.
- ✓ Price validity shall be for a period of 30 Calendar Days.

Item No.	Qty.	Unit	Item Description	Unit Price	Total Price
1	1	Unit	Printer with Scanner Specs: Print, Scan, Copy (Please see attached specifications)		
				TOTAL	

Purpose: Procurement of semi expandable equipment for accounting unit

After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.

 Signature over Printed Name

 Tin

 Date/Telephone No.

Canvassed by:

"DepEd SDO Baguio City: We Serve, We Care."



Address: 82 Military Cut-off Road, Baguio City
 Telephone/Fax: 074-442-4326 / 074-442-7819 | Email: depedbaguiocty@gmail.com
 Website: www.depedpines.com | Facebook Page: facebook.com/DepedTayoBaguioCity



ISO 9001:2015 Certified
 Quality Management System
 CRN RU-19.2560.026
 Issued on 12/27/2019

Specifications

Printer Type:

Printer Type:
Print, Scan, Copy

Print Speed:

Photo Default - 10 x 15 cm / 4 x 6 ":

Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) **

Draft, A4 (Black / Colour):

Up to 33 ppm / 15 ppm **

ISO 24734, A4 Simplex (Black / Colour):

Up to 10 ipm / 5.0 ipm **

First Page Out Time from Ready Mode (Black / Colour):

Approx. 10 sec / 16 sec **

Copying:

Maximum Copies from Standalone:

20 copies

Maximum Copy Size:

A4, Letter

Copy Quality:

Colour / Black-and-White; Draft / Standard

ISO 29183, A4 Simplex Flatbed (Black / Colour):

Up to 7.0 ipm / 1.7 ipm

Max Copy Resolution:

300 x 300 dpi

Scanning:

Scanner Type:

Flatbed colour image scanner

Sensor Type:

CIS

Optical Resolution:

600 x 1200 dpi

Maximum Scan Area:

216 x 297 mm (8.5 x 11.7")

Scanner Bit Depth (Colour):

48-bit input, 24-bit output

Scanner Bit Depth (Grayscale):

16-bit input, 8-bit output

Scanner Bit Depth (Black & White):

16-bit input, 1-bit output

Scan Speed:

Flatbed (Black / Colour):

200 dpi: 11 sec / 200 dpi: 32 sec

Paper Handling:

Number of Paper Trays:

1

Standard Paper Input Capacity:

Up to 100 sheets-A4 / Letter Plain paper (80 g/m²)

Up to 20 sheets-Premium Glossy Photo Paper 10 sheets-Envelope, 30 sheets-Postcard

Output Capacity:

Up to 30 sheets, A4 plain paper

20 sheets, Premium Glossy Photo Paper

Maximum Paper Size:

215.9 x 1200 mm (8.5 x 47.24")

Paper Feed Method:

Friction feed

Paper Size:

Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6",

Envelopes: #10, DL, C6

Print Margin:

0 mm top, left, right, bottom via custom settings in printer driver *2

Noise Level:

PC Printing / Plain Paper Default:

6.5 B(A), 52 dB (A) *3

PC Printing/ Premium Glossy Photo Paper Best Photo:
5.2 B(A), 38 dB (A)

Dimensions and Weight:

Dimensions (W x D x H):
375 x 347 x 179 mm

Weight:
3.9 kg

Consumables:

Black Ink Bottle:
4,500 pages ^{*4} - 003

Cyan Ink Bottle:
7,500 (Composite Yield) ^{*4} - 003

Magenta Ink Bottle:
7,500 (Composite Yield) ^{*4} - 003

Yellow Ink Bottle:
7,500 (Composite Yield) ^{*4} - 003

Electrical Specifications:

Rated Voltage:
AC 220 – 240 V

Rated Frequency:
50 – 60 Hz

Operating:
12 W

Sleep:
0.4 W

Power Off:
0.3 W

Standby:
3.9 W

Interface:

USB:
USB 2.0

Printing:

Printing Technology:
On-demand inkjet (Piezoelectric)

Nozzle Configuration:

180 x 1 nozzles Black, 59 x 1 nozzles per colour (Cyan, Magenta, Yellow)

Print Direction:

Bi-directional printing

Maximum Print Resolution:

5760 x 1440 dpi (with Variable-Sized Droplet Technology) 5760 x 1440 dpi (with Variable-Sized Droplet Technology)

Minimum Ink Droplet Size:

3 pl

Printer Language:

ESC / P-R

Automatic 2-sided Printing:

No

Printer Software:

Operating System Compatibility:

Windows XP / Vista / 7 / 8 / 8.1 / 10

Windows Server 2003 / 2008 / 2012 / 2016

Only printing and scanning functions are supported for Windows Server OS

Mac OS X 10.6.8 or later