

Republic of the Philippines

Devartment of Education

Cordillera Administrative Region SCHOOLS DIVISION OF BAGUIO CITY

REQUEST FOR QUOTATION

Standard Form No.:SF-GOOD-60 Revised on: May 24, 2004

Standard Form Title: Request for Quotation

Supplier:

Address:

Telephone No.:

e-Mail:

Date received by the Supplier:

Requesting Unit: CID/L. Mangangey

PR No.: 2022-12-325

Quotation No.: 2022-12-301 Date: December 28, 2022

ABC: 36,000.00

Please quote your lowest price on the item/s listed, subject to the General Conditions below, stating the shortest time of delivery and submit your quotation in a sealed envelope duly signed by your representative not later than January 5, 2023 Dam

JULIET C. SANNAD

Chief- Curriculum Implementation Division

Chairman, Bids and Awards Committee

REQUIREMENTS:

- 1. Mayor's / Business permit
- 2. PhilGEPS registration number or certificate
- 3. Omnibus Sworn Statement

Note:

- Submit RFQ together with the requirements.
- All entries must be typewritten or legibly written.
- Delivery period within Calendar Days.
- Price validity shall be for a period of <u>30</u> Calendar Days.

Item No.	Qty.	Unit	Item Description	Unit Price	Total Price
1	1	Piece	LCD Projector Type of display Poly-silicon TFT active matrix Resolution BrightLink 480i: 1024 × 768 pixels (XGA) BrightLink 475Wi/485Wi: 1280 × 800 pixels (WXGA) Lens F= 1.80 Focal length: 3.71 mm Color reproduction Full color, 16.77 million colors Brightness BrightLink 475Wi: Normal Power Consumption mode: White light output 2600 lumens (ISO 21118 standard) Color light output 2600 lumens ECO Power Consumption mode:		



"DepEd SDO Baguio City: We Serve, We Care

Address: 82 Military Cut off Road, Baguio City Telephone/Fax: 074-442-4326 / 074-442-7819 | Email: depedbaguiocity@gmail.com Website: www.depedpines.com | Facebook Page: facebook.com/DepedTayoBaguioCity







Republic of the Philippines

Department of Education

Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

White light output 1800 lumens (ISO 21118 standard)

BrightLink 480i:

Normal Power Consumption mode:

White light output 3000 lumens (ISO 21118 standard)

Color light output 3000 lumens

ECO Power Consumption mode:

White light output 1800 lumens (ISO 21118 standard)

BrightLink 485Wi:

Normal Power Consumption mode:

White light output 3100 lumens (ISO 21118 standard)

Color light output 3100 lumens

ECO Power Consumption mode:

White light output 1800 lumens (ISO 21118 standard)

Contrast ratio 15,000 to 1 with Auto Iris on and

Normal Power Consumption mode

Image size BrightLink 480i:

55.9 to 93.2 inches (1.42 to 2.37 m)

BrightLink 475Wi/485Wi:60 to 100 inches (1.52 to 2.54 m)

Projection distance 13.7 to 23.5 inches (0.35 to

Projection methods Front, wall or ceilingmounted

*with white screen, HDMI cable (3-5 m)& portable Bluetooth wireless speaker

Optical aspect ratio

(width-to-height) BrightLink 480i:

4:3

BrightLink 475Wi/485Wi:

16:10

Focus adjustment Manual Zoom adjustment Digital

Zoom ratio

(Tele-to-Wide) 1:1.35

Internal sound system 16 W monaural


Noise level 35 dB (Normal Power

Consumption mode)

28 dB (ECO Power Consumption mode)

Keystone correction angle Vertical: ± 5°


Horizontal: ± 5°













Republic of the Philippines

Department of Education

Cordillera Administrative Region SCHOOLS DIVISION OF BAGUIO CITY

USB-B port compatibility USB 1.1 and 2.0 compliant for USB display or external mouse USB-A port compatibility One USB 1.1 and 2.0 compliant port for USB device input or		
document camera display	TOTAL	

Purpose: Procurement of semi expendable for the science and mathematics equipment SME packages for the public junior and senior high school for FY 2022

After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.

Canvassed by:





