




SCHEDULE OF TOP SLAB REINFORCEMENT		
MARK	TOP SLAB	
	SHORT DIRECTION	LONG DIRECTION
S - 1	16 mm Ø BARS @ 195 mm O. C. BENT-UP 2 OUT OF 3 @ L/4 FROM FACE OF SUPPORT	16 mm Ø BARS @ 190 mm O. C. TEMPERATURE BARS
S - 2	16 mm Ø BARS @ 225 mm ON CENTER	16 mm Ø BARS @ 190 mm ON CENTER




DETAIL SECTION B




DETAIL SECTION C



DETAIL SECTION A



DETAIL SECTION A




DETAIL PLAN (TOP SLAB)

DETAIL OF SEPTIC VAULT (with REINFORCING BARS)

2
P-8

SCALE

1:40 MTS.



DETAIL PLAN (TOP SLAB)

DETAIL OF SEPTIC VAULT

3
P-8

SCALE

1:40 MTS.



DepEd

PROJECT TITLE:
RESTORATION OF GABALDON SCHOOL
BUILDING AT BAGUIO CENTRAL SCHOOL

PROJECT LOCATION:
YANDOC STREET, BAGUIO CITY

DRAWN BY:
JUNELSON P. CULLADO
TECHNICAL ASSISTANT II, EFD

CHECKED BY:
ALDRIN JERK C. TAGAO
MASTER PLUMBER
ENGINEER II, EFD

REVIEWED BY:
CARMINA AREVALO
OIC- EXECUTIVE DIRECTOR NHCP

RECOMMENDING APPROVAL:
OSCAR G. CASAYSAY
EXECUTIVE DIRECTOR NCCA

APPROVED BY:
ENGR. ANNABELLE R. PANGAN
CHIEF
EDUCATION FACILITIES DIVISION

APPROVED BY:
EPIMACO V. DENSING III
UNDERSECRETARY FOR SCHOOL
INFRASTRUCTURE AND FACILITIES

APPROVED BY:
SORAYA T. FACULO PhD, CESO VI
ASSISTANT SCHOOL DIVISION SUPERINTENDENT
OIC-OFFICE OF THE SCHOOLS DIVISION SUPERINTENDENT

SHEET CONENT:
"AS SHOWN"

SHEET NO.:
4
P 4