



Republic of the Philippines  
Department of Education  
Cordillera Administrative Region  
SCHOOLS DIVISION OF BAGUIO CITY  
REQUEST FOR QUOTATION

Standard Form No.:SF-GOOD-60  
Revised on: May 24, 2004  
Standard Form Title: Request for Quotation

Supplier:	Requesting Unit:OSDS/H. Dizon Jr.
Address:	PR No.:2024-08-238
Telephone No.:	Quotation No.: 2024-08-223
e-Mail:	Date: August 29, 2024
Delivery Period:	ABC: 199,141.00
Date Received by the Supplier:	

Please quote your lowest price on the item/s listed, subject to the General Conditions below, stating the shortest time of delivery and **submit your quotation in a sealed envelope** duly signed by your representative not later than September 6, 2024 9am

Failure to submit this on or before the due date aforstated will be a ground for disqualification.

For:

CARMEL F. MERIS

OIC-Assistant Schools Division Superintendent  
Chairman, Bids and Awards Committee

NINO M. TIBANGAY  
BAC Vice-Chairperson

POSTED IN PHILGEPS

REQUIREMENTS:

- Mayor's / Business permit
- PhilGEPS registration number or certificate
- Omnibus Sworn Statement if above 50,000.00
- Income/Business Tax Return 500,000.00 and above

Note:

- ✓ Submit RFQ together with the requirements.
- ✓ All entries must be typewritten or legibly written.
- ✓ Delivery period within \_\_\_\_\_ Calendar Days.
- ✓ Price validity shall be for a period of 30 Calendar Days.

Item No.	Qty.	Unit	Item Description	ABC	Unit Price	Total Price
1	1	Piece	16-Channel / 4-Bus Mixer with 10 XLR inputs 10 XLR inputs with DNA(TM) microphone preamps Dynamic compression (channels 1-6) 3-band EQ with sweepable mids 4 aux sends; pre/post switching on sends 1+2 60mm faders with mute and PFL/AFL solo functions 100 DSP effects	35,946.00		







**Republic of the Philippines**  
**Department of Education**  
**Cordillera Administrative Region**  
**SCHOOLS DIVISION OF BAGUIO CITY**

			USB audio connectivity with level control (can connect to computer as audio interface) Balanced XLR, balanced/unbalanced 1/4" outputs Headphone out with independent level control Switchable Phantom Power Warranty: 1 year			
2	12	Pieces	Desktop Cardioid Gooseneck Microphone with 48V Phantom Power, LED Indicator High-Quality 18" Cardioid Condenser Mic Delivers Clear and Intelligible Sound On/Off, Mute/Talk/On Mode Switch Dual-Section Gooseneck for Positioning Built-In LED Indicator Shows Talk/Mute Powered by 48V Phantom Power Foam Windscreen Included 360 degrees free adjustment Warranty: 6 months	45,426.00		
3	1	Piece	Studio Monitor Stands - Pair Adjustable up to 4' Height Triangular metal bases with carpet spikes Steel construction with sleek black finish Adjustable brackets extend monitor surfaces width up to 10.25", accommodating various monitor sizes 33lb of handling capacity per stand Rubber pads reduce vibrations Warranty: 7 days outright replacement	3,075.00		
4	2	Pieces	2-Way Active Ported 700W Powered Loudspeaker with 15in Woofer 700 Watts peak (350 Watts continuous) Class D power Configuration: Active 2-Way Enclosure Type: Bass-Reflex Loudspeaker/Floor Monitor Total Power Capacity: 700 W Amplifier Power Rating: 350 W RMS, 700 W Peak Amplifier Class: Class-D HF Driver: 1 x 1" / 25.4 mm Titanium Compression Driver MF Driver: None LF Driver: 1 x 15" / 38.1 cm Woofer LF Voice Coil: 2" / 50.8 mm Frequency Response: 65 Hz to 20 kHz -3 dB Maximum SPL: 119 dB (Peak) Coverage Angle: 90° H x 60° V	35,540.00		







**Republic of the Philippines**  
**Department of Education**  
Cordillera Administrative Region  
**SCHOOLS DIVISION OF BAGUIO CITY**

			Protections: Crossover Overload, Output Limiter Audio I/O: 1 x Combo XLR-1/4" TRS Female Balanced/Unbalanced Mic/Line Input, 1 x XLR 3-Pin Male Link Output AC Input Power: Universal: 100 to 120 VAC, 50 / 60 Hz, 220 to 240 VAC, 50 / 60 Hz AC Power Connector: 1 x IEC Input Power Consumption: 350 W Mounting: 1 x 1.4" / 36 mm Pole Socket (Bottom) Handles: 1 x Each Side Construction Material: Metal Grille, Polypropylene Warranty: 6 months			
5	2	Pieces	Two-Way Active Studio Reference Monitor Speaker 8" Carbon-Fiber Woofer and 1.25" Tweeter 100 Watts RMS XLR, 1/4" TRS and RCA Inputs 4-Position High-Frequency Lift Control Active Crossover with Multi-Pole Design Monitor Type: Active 2-Way Enclosure: Bass-Reflex, Shielded HF Driver: 1 x 3.17 cm Silk Dome Tweeter LF Driver: 1 x 203 mm Carbon Fiber Woofer Amplification: HF Amplifier: Rated at 25 W LF Amplifier: Rated at 75 W Frequency Response: 30 Hz to 27 kHz $\pm$ 3 dB Protections and Limiting: Fuse EQ: 1 x HF Shelf: -2 to +4 dB at 4 kHz (2 dB Increments) Crossover Frequency: 3.2 kHz, 24 dB/Octave Slope Crossover Type: Linkwitz-Riley 1 x XLR Balanced Analog Input (10 Kilohms) 1 x 1/4" TRS Balanced Analog Input (10 Kilohms) 1 x RCA Unbalanced Analog Input Power Consumption: 175 W Enclosure Material: MDF Warranty: 6 months	15,604.00		
6	4	Pieces	Extendable Speaker Stand with 145cm Max Adjustable Height	20,936.00		







Republic of the Philippines  
Department of Education  
Cordillera Administrative Region  
**SCHOOLS DIVISION OF BAGUIO CITY**

			-Height Crank Adjustment, Lock Knob and 90kg Max Weight Capacity for Speakers Height: 1200mm Maximum Height: 2600mm Maximum Load Capacity: 90kg Warranty: 1 Year			
7	20	Pieces	8 Meters 3 Pin XLR Male to Female High Performance Audio Cable with PVC Jacket, Nickel Plated Neutirk Connectors, and Copper Mesh Shielding Warranty: 7 days outright replacement	17,400.00		
8	4	Pieces	15 Meters 3 Pin XLR Male to Female High Performance Audio Cable with PVC Jacket, Nickel Plated Neutirk Connectors, and Copper Mesh Shielding Warranty: 7 days outright replacement	5,080.00		
9	2	Pieces	30 Meters 3 Pin XLR Male to Female High Performance Audio Cable with PVC Jacket, Nickel Plated Neutirk Connectors, and Copper Mesh Shielding Warranty: 7 days outright replacement	4,320.00		
10	5	Sets	Battery Charger for AA and AAA with 4 AAA Rechargeable Batteries (2,000 mAh Capacity Each) -Charge Status Indicator: highly visible LED display, with multiple colors indicating charge status. -Overcharge Protection: Limits damage to batteries from overcharge -Safety Shut Off: Safety timer ensures charger is not active for extended periods of time -Bad Battery Detection: LED light will flash red when bad battery or non-rechargeable battery place in the charger. -Recharges 2 or 4 AA or AAA NiMH rechargeable batteries in 5 hours -Indicator: Red = Charging, Green = Good to Go	11,500.00		
11	2	Pieces	Professional Speaker Bracket 50kg Load Capacity Adjustable Horizontal Angle Pole Mount Warranty: 1 year	2,438.00		
12	1	Piece	Movable TV Stand (Rolling) Suitable for 32-65 inch TV Freely adjustable lift Double load-bearing (can bear 100KG) Upper and lower trays, enlarged base	1,876.00		





Republic of the Philippines  
Department of Education  
Cordillera Administrative Region  
SCHOOLS DIVISION OF BAGUIO CITY

			Product material: cold rolled steel (stainless steel) 360 degrees rotation universal steering wheel With shelves Double hook adjustable Warranty: 7 days outright replacement			
					TOTAL	
Purpose: Procurement of semi expendable ICT equipment and semi expendable office equipment for the conference hall, office grounds and for mobile events						

After having carefully read and accepted your General Conditions, I/We quote you on the item at  
prices noted above.

Signature over Printed Name

Tin

Date/Telephone No.

Canvassed by:

