

PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

Government of the Republic of the Philippines

**PROCUREMENT OF SEMI-EXPENDABLE EQUIPMENT
AND SPECIALIZED TOOLS FOR INCLUSIVE LEARNING
RESOURCE SERVICE AREAS**

PROCURING ENTITY:

REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF EDUCATION
Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

*#82 Military Cut-Off, Baguio City
Tel. No.: 446-0275 Fax: (074) 442-7819*

**Sixth Edition
July 2020
Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract.

For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.

- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid	7
Section II. Instructions to Bidders	14
1. Scope of Bid	15
2. Funding Information	15
3. Bidding Requirements	15
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	15
5. Eligible Bidders	15
6. Origin of Goods	16
7. Subcontracts	16
8. Pre-Bid Conference	17
9. Clarification and Amendment of Bidding Documents	17
10. Documents comprising the Bid: Eligibility and Technical Components	17
11. Documents comprising the Bid: Financial Component	17
12. Bid Prices	18
13. Bid and Payment Currencies	18
14. Bid Security	18
15. Sealing and Marking of Bids	19
16. Deadline for Submission of Bids	19
17. Opening and Preliminary Examination of Bids	19
18. Domestic Preference	19
19. Detailed Evaluation and Comparison of Bids	20
20. Post-Qualification	20
21. Signing of the Contract	20
Section III. Bid Data Sheet	21
Section IV. General Conditions of Contract	27
1. Scope of Contract	28
2. Advance Payment and Terms of Payment	28
3. Performance Security	28
4. Inspection and Tests	28
5. Warranty	29
6. Liability of the Supplier	29
Section V. Special Conditions of Contract	30
Section VI. Schedule of Requirements	35
Section VII. Technical Specifications	39
Section VIII. Checklist of Technical and Financial Documents	47

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste

management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines
Department of Education
Cordillera Administrative Region
SCHOOLS DIVISION OF BAGUIO CITY

INVITATION TO BID FOR

**PROCUREMENT OF SEMI-EXPENDABLE EQUIPMENT
AND SPECIALIZED TOOLS FOR INCLUSIVE LEARNING
RESOURCE SERVICE AREAS**

Bid Reference No. 030 s. 2024
Approved Budget for the Contract - ₱ 1,827,987.80

1. The *Department of Education, Schools Division of Baguio City* through the *Program Support Fund for Inclusive Learning Resource Centers* intends to apply the sum of *One Million Eight Hundred Twenty Seven Thousand Nine Hundred Eighty Seven Pesos and 80/100 Only (₱ 1,827,987.80)* being the ABC to payments under the contract for the *Procurement of Semi-Expendable Equipment and Specialized Tools for Inclusive Learning Resource Service Areas* as follows:

Lot	Specification	Quantity	ABC
Lot 1	Semi-Expendable Equipment and Specialized Tools for Inclusive Learning Resource Service Areas as follows:		1,827,987.80
	Adjustable height exercise steps Product Dimensions 31"L x 11"W x 8"H Adjustable height: 4" , 6", 8" can support up to 550 lbs Firm, non-stick, non-slip, and shock-absorbing platform surface	3 units	
	Anatomical Models / Human Muscle and Organ Model - 1/2 life size, PVC Material - can be disassembled into 27 parts	1 unit	
	Articulation Cards 7 illustrated card decks (448 cards, 3¼" x 4¼") – Each deck of 32 picture-word card pairs targets a specific speech sound - P, B, T, D, M, J, Includes storage tins in a metal tote, master word lists, 50 smiley face tokens, and game ideas	3 units	

	Augmentative communication systems	<p>Pocket Go-Talk 5-Level Communication Device</p> <p>Five message buttons at 2.2cm x 3.8cm (7/8" x 1 1/2")</p> <p>Five recording levels</p> <p>4.16 minutes total recording time (10 seconds per message)</p> <p>Dial controlled volume button</p> <p>Excellent sound quality</p> <p>Two AA batteries included</p> <p>Low power consumption</p> <p>Record and level lock capable</p> <p>7.6cm x 13.6cm x 3.8cm</p> <p>212 grams (7.5 oz)</p>	3 units	
	Balance Board	<p>Type: Rocker Board</p> <p>Dimensions: 32.28 x 11.81 x 0.59 inches</p> <p>Weight Capacity: 100 kg</p> <p>Material: Beech Wood</p> <p>Anti-Skid Feature: Not Specified</p>	2 units	
	Basic Vocabulary Board	<p>Each unit comes with:</p> <p>Flashcards</p> <p>Smash mat</p> <p>Trace and color</p> <p>Cut and glue</p> <p>Flipbook</p> <p>Black and white versions of all activities!</p>	2 units	
	Bean Bag Chairs	<p>Dimensions: 3 ft x 3 ft x 2 ft</p> <p>Weight: Approximately 16 lbs</p> <p>Feature: Removable Machine Washable Cover and Durable Internal Liner included</p>	2 pcs	
	Bean Bag Chairs	<p>Dimensions: 4 ft x 4 ft x 2.5 ft</p> <p>Weight: Approximately 49 lbs</p> <p>Feature: Removable Machine Washable Cover and Durable Internal Liner included</p>	2 units	
	Bean Bag Chairs	<p>Dimensions: 5 ft x 5 ft x 2.5 ft</p> <p>Weight: Approximately 59 lbs</p> <p>Feature: Removable Machine Washable Cover and Durable Internal Liner included</p>	2 pcs	
	Call lights	<p>Colors: Red, Blue, Green or mix</p> <p>Different color for different service type</p> <p>It can work with 30 transmitter in max.</p> <p>With separate output power supply: DC5V</p> <p>The prompting sound can be turned on/off</p> <p>Dimension: 78*78*60mm</p> <p>Color: white</p>	2 units	
	Communication boards	<p>- set of 50 pcs cards, ring and retractable rope</p> <p>- size: 3.8 x 2.3 inches</p> <p>- round corner cut safe for little hands from scratching and poking</p>	3 sets	

	Core Peak Bolsters	Core Peak Bolster Peaked shape fits comfortably under your knees Precision-cut foam 10" x 24", with 7" peak	3 pcs	
	Dry Erase sleeves	Size: 10x14 inches Assorted colors with dry erase pens	30 pcs	
	Dumbells Sets	5 pcs per set 1 pc of 1kg, 2kg, 3kg, 4kg,and 5kg Double dipped Neoprene coating that won't scratch or take off Non-slip handles, secure safe grip Indestructable iron steel weight	2 sets	
	Floor Mats / Interlocking Mat	Dimension: 1mx1mx24mm Material: rubber Colors: blue, red, orange, yellow, green, brown, grey, black, maroon	20 pcs	
	Foam Rolls	Material: Expanded Polypropylene Foam Item Weight: 0.42 Pounds Size: 18 inches	5 pcs	
	Gait belt	Material: vinyl Color: black Size: 60 x 2 inches	3 pcs	
	Goniometers	Protractro Goniometer with 360 degrees coverage to measure joint and compare the changes in joint angles Material: clear plastic 3 Gonimeter: 12 inch, 8 inch and 6 inch	2 pcs	
	Gait Trainer	Waist and Chest Supported Material: Metal	3 units	
	Hand Dynamometer	Type: Electronic Counting Gripper Function: Comprehensive Fitness Exercise Material: ABS Size: 15cm/5.90"x10.5cm/4.13"x2cm/0.79"	3 pcs	
	Hydrocollator with assorted hot packs	Includes (3) Standard HotPacs, (3) Oversize and (3) Cervical HotPacs sku: CHT-2402-2 Full fiberglass insulation prevents heat loss through the walls of the unit Included heat pack assortment provides packs for an assortment of treatments	2 sets	
	Ice Massage Caps	Size: 2 Count (Pack of 1) Measuring 2.9" in diameter, the ice cup massager holder also fits comfortably in the hand. Material: Polyethylene	5 pcs	

	Kidney Shaped Table	<p>Suitable for seating up to six children and an adult. Ideal for using as a teacher's table or for group work. Height adjustable between 38-60cm and available in two colours. Co-ordinates with other tables, chairs and storage units in the Copenhagen range.</p> <p>Features</p> <ul style="list-style-type: none"> • Colour: Blue • Material: Metal & Wood • Length: 180 cm • Width: 120 cm • Assembly type: Self-Assembly • Age Range: Suitable for 3 to 11 years 	1 pc	
	Kidney-shape table with learner's chair	<ul style="list-style-type: none"> - Includes four 16" stacking chairs and one 36" x 72" kidney-shaped activity table - Tabletop Material: 1 1/8" thick particleboard w/ melamine finish - Edge Band Material: 3mm PVC - Leg Material: Powder-coated tubular steel 	2 sets	
	Kindergarten /Children's table with chairs	<ul style="list-style-type: none"> - Table size: 120 x 60 x 50 cm. - Chair size: 35 x 28 x 53 cm - Frosted Table Top - Rounded Table Corner - 1 table with 4 chairs - colors: yellow/blue/gree/red - heavy duty 	4 sets	
	Kinesiology Tape	<p>Ultra-Strong and Sticky-Hypoallergenic Adhesive Water Resistant 97% Cotton, 3% Nylon 180% Stretch for Full Range of Motion Latex and Zinc Free Sticks 2-7 Days 5-10 Applications per Roll each is 2"x 16.4" (5cmx5cm)</p>	50 pcs	
	Mat Table	<p>Wood construction adds strength and an attractive natural finish. Supports up to 500 lbs for better patient accommodation. Heavyweight vinyl upholstery is comfortable and strong. Thick foam padding provides patient comfort for a better experience. Five-leg design with center support ensures stability through heavy treatment. Height: 18" Weight Capacity: 500 lbs Size: 4 ft Wide x 7 ft Long</p>	1 unit	
	Mobilization belts and devices	<p>Main material: nylon Color: blue Size: approx. 8.2 feet in length, about 2 inches in width</p>	5 pcs	

	Multiple mode Electrical Stimulator	<p>SPECIFICATION: Dimension: 170 x 60 x 26 (mm) Channel: two independent channels Power supply: 9V battery x 1 pcs Output: 0~100mA P to P into 500Ω load Density(Intensity): change of 15 steps pulse amplitude TimeR: 30 minutes countdown timer with auto off Wave for dual phases square wave</p> <p>STANDARD ACCESSORIES: Electrical Stimulator 1 Stimulator Lead Wire 2 Self Adhering Electrode 4 Operating Manual 1 9V Battery 1 Reusable Package Box 1</p>	3 units	
	Non Contact Thermometer	Measuring Distance 0.4” – 2” (1 – 5cm) Measuring Time ≤ 2 seconds. Measuring Accuracy ±0.2°C. Temperature Measurement Range Body mode: 93.2° – 109.2°F (34 – 42.9°C)	5 units	
	Paraffin bath	Bath arm, hand and foot Usage: Wax Fomentation Condition: New Voltage: 220V AC Power:2 Kw Tank Size: 50cm x 35cm x 25cm deep	3 units	
	Pediatric Examination Gowns	Opening: Full Open Back Style: Child Size Color: JellyBean Print Made with high quality, 100% Cotton Comfortable, durable, washable, and reusable Hook and loop closures at neck and mid-back	10 pcs	
	Phonics Phones / Whisper Phones	- pack of 16	2 packs	
	Reflex Nuero Hammer	Material: Zinc Alloy + PVC Color: Black Package size: 27*11*3.5cm/10.6*4.3*1.3 inch Package weight: 140g/4.9oz	4 pcs	
	Round Bolsters	6" Round Bolster	3 pcs	

	Sphygmomanometer / BP Apparatus	<p>PRODUCT DETAILS Type: Upper-Arm Monitor Type: Digital Cuff Size: 32cm Dimension (W x H x D): 145 x 466 x 145mm Weight: 250g</p> <p>TECHNICAL DETAILS Power Supply: Battery Battery Type: Li-Polymer</p> <p>FEATURES Smart App Availability: Yes</p>	2 units	
	Sphygmomanometer / BP Apparatus with stethoscope	<p>PRODUCT DETAILS Type: Upper-Arm Monitor Type: Manual Cuff Size: 32cm Dimension (W x H x D): 145 x 466 x 145mm Weight: 250g</p>	2 units	
	Splinting materials	<p>Rescue Padded Board Splint 6 padded wood splint (Different sizes) Sizes: 35", 25" and 15" Velcro Straps Color: blue</p>	3 sets	
	Step stools	<p>Double Steel Caravan Step. Rubber Non- Slip Steps. Leg Distance Front to Back 65 cm. Width 42 cm. Top Step Height 38 cm. Bottom Step 20 cm.</p>	5 units	
	Stethoscope	<p>Weight: 185g Length: 80cm Product material: polymer diaphragm Listener material: High-density stainless steel Product composition: eartip, ear hooks, leaf spring, hose heads, diaphragms</p>	2 units	
	TheraBand	<p>Material: Rubber Color: Blue/Black Sport Type: Exercise And Fitness/Pilates Heavy set includes the fifth and sixth of eight levels of Latex Resistance Tubes, Blue, 100%, 5.8 lbs., 200%, 8.6 lbs., Black, 100%, 7.3 lbs., 200%, 10.2 lbs.</p>	8 sets	
	Therapist stools on wheels	<p>Description: 360-degree swivel thick padding saddle seat</p>	5 units	

	Treatment Table	<p>Multi Functions Physical Electric Therapy Treatment Table Size: L2040*W560*H550-820mm Product Feature</p> <ol style="list-style-type: none"> 1. Electric operation,3 sections, new design epoxy metal frame. 2. Equipped with 3 motors for height, back and leg rest adjustment. 3. Height adjustments for the arm rests. 4. With artificial leather cover on the head, seat, leg areas. 5. 4 luxurious castors with brake. <p>Function: Suitable for hospital electric therapy treatment table use.</p>	3 units	
	Vestibular Balls	<p>4 Sizes per set 45cm, 55 cm, 65cm, 75cm Material Rubber Pattern Plain Shape Round</p>	5 sets	
	Wall Bars	<p>Size: 190*70*10 Material: beech wood Or Poplar Wood Weight bearing:150kgs MOQ: 100pcs</p>	2 sets	
	Wedge Bolsters	<p>Dimensions: 24"W x 10"H x 24"L with a flat top and a 36" incline.</p>	3 pcs	
	Wind Up Toys	<p>Wind up toys,powered by a metal spring that is tightened by turning it,classical funny simple games,non-toxic and odor-free. Wind-up toys measure about 2 inch, including dinosaur,egg,cat,bird,caterpillar,beetle and car etc. Package content: 16 no duplicate wind up toys(contents and color may vary)</p>	1 set	
	Wordless Picture Books	<p>Language : English Hardcover : 32 pages Reading age : 4 - 6 years Item Weight : 1.28 pounds Dimensions : 10.25 x 0.5 x 12 inches</p>	5 pcs	
	Human Head Model	<p>Plastic, life-size anatomical cast with removable jaw and 3 removable lower teeth Type: Skull Model Material: PVC Dimension: app.21x15x19cm/8.27x5.91x7.48in Color: As the picture shown Quantity: 1 Set</p>	1 set	

	Indoor Climbing Walls	Six Wood Panels Adjustable Anchor Kit Wall Bracket Letter Climbing Handholds Number Climbing Handholds Character Climbing Handholds Plain Climbing Handholds	1 set	
	Soft and Foldable Ball Pit w/ balls	Medium Square: 78.7"L x 47.2"W x 15.7"H x 1.9". Weighs 20 lbs. Holds 4-5 kids and 1000 3" Diameter balls. Pistachio, blue, orange and lilac. Medium Padding: 78.7"L x 47.2"W x 0.78". Weighs 20 lbs.	1 set	
	Pediatric Walker	Height-adjustable frame sizes 360-degree swivel front casters Rubber tire design	1 units	
	Stationary Bike	Dimensions: (108 X 28 X 88 cm) Weight:(52kg) 18 kg Flywheel 32 Electronic Resistance Levels 3.75 inch LCD Display 12 Pre-Set Workouts + 3 Target Programs HRC, Recovery & User Defined Function Seat Height - 75 cm - 95 cm Vertical & Horizontal Seat Adjustment Comfort Racing Saddle Max. User Weight - 135 kg Built-in Transport Wheels Self-Generating Power Water Bottle Holder Floor Level Adjustment, Handlebar Adjustment, Adjustable Foot Straps, Dual handlebars	2 units	
	Trampoline with handrail	40-inch jumping surface area Handrail adjusts from 28.5" to 36.5"H 16lbs. Holds up to 300 lbs Black	2 sets	
	Treadmill	Motor Duty: 1.5 HP (Continue); 2.75 HP (Peak) Speed Range: 1.0~16 Km/Hr 15-Level Power Incline Voltage: 220 Volt (110V Available) Manual Fold Up with Gas Assist None Impact Cushion Deck 4 Instant Speed Buttons (3, 6, 9, 12) 4 Instant Incline Buttons (2, 4, 8, 12) Incline & Speed Buttons on the Handrails Built-in Transport Wheels for Easy Transport and Storage Running Surface: 129 L x 41 W (cm) One Large LCD Screen Display with Blue Back Light Program: 12 Pre-set Programs Functions: Time, Speed, Distance, Calories, Incline, and Pulse	2 units	

	Tumble Barrels	Inside Diameter 12" Outside Diameter: 22" Weight Capacity: 250 lbs Latex Free	2 units	
	ADL Boards	6 colors, 6 different dressing skills training. It is a good way to exercise your child's finger flexibility and help the kids learn the most basic dressing skills. Is a good parent-child toy. Also a good preschool education and kindergarten toys. A quiet skill book made of cardboard and non-woven fabric. Suitable for children 2-7 years old. Package Dimensions: 11.73 x 9.76 x 2.28 inches Item Weight: 1.28 pounds	1 set	
	Adaptive Swim Life Jacket for Disabled	- Small: 20 to 24 Kg - Medium: 32 to 45 Kg	2 pcs	
	Geometric Shapes Set	8-12 Shapes/Forms Wood and/or non-toxic plastic Shapes include sphere, square, cylinder, round cylinder, cone, cube, hexagonal prism, triangular prism, square based pyramid, octagonal prism, pentagonal prism, and 1/2 sphere	2 sets	
	Standing Frame w/ tray	Tray (WxD) 77 x 71cm (30.3"x28") Strap Length Max. 114cm (45") Strap Pad Size 45 x 15cm (17.7"x6") Base to Tray Height 107cm (42.1") Base to Knee Pad Height 35 - 54cm (13.8"-21.3") Base (WxD) 82 x 89cm (32.2"x35") Overall Size (WxDxH) 82 x 89 x 110cm (32.2"x35"x43.3") Product Weight 15kg	2 units	
	Stroller	Three size and four-color accent options Aluminum cast frame for lightweight stability Transit compatible and foldable for portability The Reach Transit Stroller comes standard with fixed seat tilt (10, 20, 30 degrees), hip angle adjustment, QR 12" poly rear wheels, 7" poly front casters, height adjustable push handle, height adjustable foot plate, foot activated hub lock, under seat storage bag, and sunshade.	3 units	

	Platform Swings	Adjusts in tilt using control lines attached to a top disc Features a soft padded edge that prevents therapist injury Can be used in a range of positions, including sitting, standing, prone, and supine Adaptation provides security for clients who feel uncomfortable taking their feet off the floor Adaptation makes it possible to introduce infants and smaller children to the Platform Swing Dimensions: 31"L x 31"W x 60"H Working Load: 300 lbs. Weight: 21 lbs.	1 units	
	wheel chair	Net weight: 19kg Seat width: 46cm Seat Height: 40cm Max Weight Capacity: 100kgs Back Wheel Size: 59cm Front Castor Size: 20cm Total Width: 65cm	3 units	

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The **Department of Education, Schools Division of Baguio City** now invites bids for the above Procurement Project. Delivery of the Goods is required within **the identified date of conduct for the activity**. Bidders should have completed, within **five years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **Department of Education, Schools Division of Baguio City, # 82 Military Cut-Off, Baguio City** and inspect the Bidding Documents at the address given below during **Monday to Friday from 8:00 AM - 5:00 PM**.
5. A complete set of Bidding Documents may be acquired by interested Bidders starting **December 5, 2024** from the given address and website(s) below, **in the amount of One Thousand Eight Hundred Pesos Only (PhP 1,800.00)**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees **personally or by electronic means through the agency’s Landbank Account with account no.0222-0209-64 but must first acquire an order of payment from the agency through the (074) 442-7819**.

6. Bids must be duly received by the BAC Secretariat through: (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before **December 13, 2024, 9:45 AM**. Late bids shall not be accepted.
7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
8. Bid opening shall be on **December 13, 2024, 10:00 AM** at *DepEd, Schools Division of Baguio City Conference Hall, # 82 Military Cut-Off, Baguio City* and/or via through Zoom Video Conferencing through the link : <https://tinyurl.com/depedbagueibac>. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
9. The **DepEd, Schools Division of Baguio City** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
10. For further information, please refer to:

CARMEL F. MERIS

BAC Chairperson

Department of Education, Schools Division of Baguio City

Address: # 82 Military Cut-Off, Baguio City

Email Add: baguio.city@deped.gov.ph

Telefax No.:(074) 442 – 7819

Website: www.depedpines.com

11. You may visit the following websites:

For downloading of Bidding Documents: www.depedpines.com

For online bid submission: baguio.city@deped.gov.ph

Cc: depedbagueibac@gmail.com

December 4, 2024

CARMEL F. MERIS

BAC Chairperson

For the BAC Chairperson

NINO M. TIBANGAY

BAC Vice Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *DepEd, Schools Division of Baguio City* wishes to receive Bids for the *Procurement of Semi-Expendable Equipment and Specialized Tools for Inclusive Learning Resource Service Areas* with identification number *Bid Reference No. 026 s. 2024*.

The Procurement Project (referred to herein as “*Procurement of Semi-Expendable Equipment and Specialized Tools for Inclusive Learning Resource Service Areas*”) is composed of 1 *lot*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *Program Support Fund for Inclusive Learning Resource Centers* in the amount of *One Million Eight Hundred Twenty Seven Thousand Nine Hundred Eighty Seven Pesos and 80/100 Only (₱ 1,827,987.80)*.

2.2. The source of funding is:

- a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids or Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

- 7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at *Department of Education, Schools Division of Baguio City Conference Hall, # 82 Military Cut-Off, Baguio City* and/or through videoconferencing/webcasting and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *five years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.

- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for one hundred twenty (120) days from deadline of submission. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

1

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant,} the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**. For every mini-competition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.}

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause				
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <p>a. <i>Contract similar shall refer to those classified as semi-expendable equipment and specialized tools that includes the following:</i></p> <ul style="list-style-type: none"> ● <i>Griping Aids</i> ● <i>Communication Tools</i> ● <i>Sports Equipment</i> ● <i>Medical Equipment</i> <p>b. completed within <i>five years</i> prior to the deadline for the submission and receipt of bids.</p>			
7.1	<i>Subcontracting is not allowed</i>			
12	<p>The price of the Goods shall be quoted Delivered Duties Paid (DDP) <i>Department of Education, Schools Division of Baguio City- Procurement of Semi-Expendable Equipment and Specialized Tools for Inclusive Learning Resource Service Areas</i> the applicable International Commercial Terms (INCOTERMS) for this Project.</p>			
14	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p>a. The amount of not less than <i>Thirty Six Thousand Five Hundred Fifty Nine Pesos and 76/100 Only (PhP 36,559.76)</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</p> <p>b. The amount of not less than <i>Ninety One Thousand Three Hundred Ninety Nine Pesos and 39/100 Only (PhP 91,399.39)</i> if bid security is in Surety Bond.</p>			
19.3	Lot	Specification	Quantity	ABC
	Lot 1	Semi-Expendable Equipment and Specialized Tools for Inclusive Learning Resource Service Areas as follows:		1,827,987.80
		<p>Adjustable height exercise steps</p> <p>Product Dimensions 31"L x 11"W x 8"H Adjustable height: 4" , 6", 8" can support up to 550 lbs Firm, non-stick, non-slip, and shock-absorbing platform surface</p>	3 units	

		Anatomical Models / Human Muscle and Organ Model	- 1/2 life size, PVC Material - can be disassembled into 27 parts	1 unit	
		Articulation Cards	7 illustrated card decks (448 cards, 3¼" x 4¼") – Each deck of 32 picture-word card pairs targets a specific speech sound - P, B, T, D, M, J, Includes storage tins in a metal tote, master word lists, 50 smiley face tokens, and game ideas	3 units	
		Augmentative communication systems	Pocket Go-Talk 5-Level Communication Device Five message buttons at 2.2cm x 3.8cm (7/8" x 1 1/2") Five recording levels 4.16 minutes total recording time (10 seconds per message) Dial controlled volume button Excellent sound quality Two AA batteries included Low power consumption Record and level lock capable 7.6cm x 13.6cm x 3.8cm 212 grams (7.5 oz)	3 units	
		Balance Board	Type: Rocker Board Dimensions: 32.28 x 11.81 x 0.59 inches Weight Capacity: 100 kg Material: Beech Wood Anti-Skid Feature: Not Specified	2 units	
		Basic Vocabulary Board	Each unit comes with: Flashcards Smash mat Trace and color Cut and glue Flipbook Black and white versions of all activities!	2 units	
		Bean Bag Chairs	Dimensions: 3 ft x 3 ft x 2 ft Weight: Approximately 16 lbs Feature: Removable Machine Washable Cover and Durable Internal Liner included	2 pcs	
		Bean Bag Chairs	Dimensions: 4 ft x 4 ft x 2.5 ft Weight: Approximately 49 lbs Feature: Removable Machine Washable Cover and Durable Internal Liner included	2 units	

		Bean Bag Chairs	Dimensions: 5 ft x 5 ft x 2.5 ft Weight: Approximately 59 lbs Feature: Removable Machine Washable Cover and Durable Internal Liner included	2 pcs	
		Call lights	Colors: Red, Blue, Green or mix Different color for different service type It can work with 30 transmitter in max. With separate output power supply: DC5V The prompting sound can be turned on/off Dimension: 78*78*60mm Color: white	2 units	
		Communication boards	- set of 50 pcs cards, ring and retractable rope - size: 3.8 x 2.3 inches - round corner cut safe for little hands from scratching and poking	3 sets	
		Core Peak Bolsters	Core Peak Bolster Peaked shape fits comfortably under your knees Precision-cut foam 10" x 24", with 7" peak	3 pcs	
		Dry Erase sleeves	Size: 10x14 inches Assorted colors with dry erase pens	30 pcs	
		Dumbbells Sets	5 pcs per set 1 pc of 1kg, 2kg, 3kg, 4kg, and 5kg Double dipped Neoprene coating that won't scratch or take off Non-slip handles, secure safe grip Indestructable iron steel weight	2 sets	
		Floor Mats / Interlocking Mat	Dimension: 1mx1mx24mm Material: rubber Colors: blue, red, orange, yellow, green, brown, grey, black, maroon	20 pcs	
		Foam Rolls	Material: Expanded Polypropylene Foam Item Weight: 0.42 Pounds Size: 18 inches	5 pcs	
		Gait belt	Material: vinyl Color: black Size: 60 x 2 inches	3 pcs	

		Goniometers	Protracto Goniometer with 360 degrees coverage to measure joint and compare the changes in joint angles Material: clear plastic 3 Goniometer: 12 inch, 8 inch and 6 inch	2 pcs	
		Gait Trainer	Waist and Chest Supported Material: Metal	3 units	
		Hand Dynamometer	Type: Electronic Counting Gripper Function: Comprehensive Fitness Exercise Material: ABS Size: 15cm/5.90"x10.5cm/4.13"x2cm/0.79"	3 pcs	
		Hydrocollator with assorted hot packs	Includes (3) Standard HotPacs, (3) Oversize and (3) Cervical HotPacs sku: CHT-2402-2 Full fiberglass insulation prevents heat loss through the walls of the unit Included heat pack assortment provides packs for an assortment of treatments	2 sets	
		Ice Massage Caps	Size: 2 Count (Pack of 1) Measuring 2.9" in diameter, the ice cup massager holder also fits comfortably in the hand. Material: Polyethylene	5 pcs	
		Kidney Shaped Table	Suitable for seating up to six children and an adult. Ideal for using as a teacher's table or for group work. Height adjustable between 38-60cm and available in two colours. Co-ordinates with other tables, chairs and storage units in the Copenhagen range. Features • Colour: Blue • Material: Metal & Wood • Length:180 cm • Width:120 cm • Assembly type: Self-Assembly • Age Range: Suitable for 3 to 11 years	1 pc	
		Kidney-shape table with	- Includes four 16" stacking chairs and one 36" x 72" kidney-shaped activity table	2 sets	

		learner's chair	<ul style="list-style-type: none"> - Tabletop Material: 1 1/8" thick particleboard w/ melamine finish - Edge Band Material: 3mm PVC - Leg Material: Powder-coated tubular steel 		
		Kindergarten /Children's table with chairs	<ul style="list-style-type: none"> - Table size: 120 x 60 x 50 cm. - Chair size: 35 x 28 x 53 cm - Frosted Table Top - Rounded Table Corner - 1 table with 4 chairs - colors: yellow/blue/gree/red - heavy duty 	4 sets	
		Kinesiology Tape	<p>Ultra-Strong and Sticky-Hypoallergenic Adhesive Water Resistant</p> <p>97% Cotton, 3% Nylon</p> <p>180% Stretch for Full Range of Motion</p> <p>Latex and Zinc Free Sticks 2-7 Days 5-10 Applications per Roll each is 2"x 16.4" (5cmx5cm)</p>	50 pcs	
		Mat Table	<p>Wood construction adds strength and an attractive natural finish. Supports up to 500 lbs for better patient accommodation. Heavyweight vinyl upholstery is comfortable and strong. Thick foam padding provides patient comfort for a better experience. Five-leg design with center support ensures stability through heavy treatment.</p> <p>Height: 18"</p> <p>Weight Capacity: 500 lbs</p> <p>Size: 4 ft Wide x 7 ft Long</p>	1 unit	
		Mobilization belts and devices	<p>Main material: nylon</p> <p>Color: blue</p> <p>Size: approx. 8.2 feet in length, about 2 inches in width</p>	5 pcs	
		Multiple mode Electrical Stimulator	<p>SPECIFICATION:</p> <p>Dimension: 170 x 60 x 26 (mm)</p> <p>Channel: two independent channels</p> <p>Power supply: 9V battery x 1 pcs</p> <p>Output: 0~100mA P to P into 500Ω load</p> <p>Density(Intensity): change of 15 steps pulse amplitude</p> <p>TimeR: 30 minutes countdown timer with auto off</p> <p>Wave for dual phases square wave</p> <p>STANDARD ACCESSORIES:</p>	3 units	

			Electrical Stimulator 1 Stimulator Lead Wire 2 Self Adhering Electrode 4 Operating Manual 1 9V Battery 1 Reusable Package Box 1		
		Non Contact Thermometer	Measuring Distance 0.4" – 2" (1 – 5cm) Measuring Time ≤ 2 seconds. Measuring Accuracy ±0.2°C. Temperature Measurement Range Body mode: 93.2° – 109.2°F (34 – 42.9°C)	5 units	
		Paraffin bath	Bath arm, hand and foot Usage: Wax Fomentation Condition: New Voltage: 220V AC Power:2 Kw Tank Size: 50cm x 35cm x 25cm deep	3 units	
		Pediatric Examination Gowns	Opening: Full Open Back Style: Child Size Color: JellyBean Print Made with high quality, 100% Cotton Comfortable, durable, washable, and reusable Hook and loop closures at neck and mid-back	10 pcs	
		Phonics Phones / Whisper Phones	- pack of 16	2 packs	
		Reflex Nuero Hammer	Material: Zinc Alloy + PVC Color: Black Package size: 27*11*3.5cm/10.6*4.3*1.3 inch Package weight: 140g/4.9oz	4 pcs	
		Round Bolsters	6" Round Bolster	3 pcs	
		Sphygmoma nometer / BP Apparatus	PRODUCT DETAILS Type: Upper-Arm Monitor Type: Digital Cuff Size: 32cm Dimension (W x H x D): 145 x 466 x 145mm Weight: 250g TECHNICAL DETAILS	2 units	

			Power Supply: Battery Battery Type: Li-Polymer FEATURES Smart App Availability: Yes		
		Sphygmomanometer / BP Apparatus with stethoscope	PRODUCT DETAILS Type: Upper-Arm Monitor Type: Manual Cuff Size: 32cm Dimension (W x H x D): 145 x 466 x 145mm Weight: 250g	2 units	
		Splinting materials	Rescue Padded Board Splint 6 padded wood splint (Different sizes) Sizes: 35", 25" and 15" Velcro Straps Color: blue	3 sets	
		Step stools	Double Steel Caravan Step. Rubber Non- Slip Steps. Leg Distance Front to Back 65 cm. Width 42 cm. Top Step Height 38 cm. Bottom Step 20 cm.	5 units	
		Stethoscope	Weight: 185g Length: 80cm Product material: polymer diaphragm Listener material: High-density stainless steel Product composition: eartip, ear hooks, leaf spring, hose heads, diaphragms	2 units	
		TheraBand	Material: Rubber Color: Blue/Black Sport Type: Exercise And Fitness/Pilates Heavy set includes the fifth and sixth of eight levels of Latex Resistance Tubes, Blue, 100%, 5.8 lbs., 200%, 8.6 lbs., Black, 100%, 7.3 lbs., 200%, 10.2 lbs.	8 sets	
		Therapist stools on wheels	Description: 360-degree swivel thick padding saddle seat	5 units	
		Treatment Table	Multi Functions Physical Electric Therapy Treatment Table Size: L2040*W560*H550-820mm	3 units	

			<p>Product Feature</p> <ol style="list-style-type: none"> 1. Electric operation,3 sections, new design epoxy metal frame. 2. Equipped with 3 motors for height, back and leg rest adjustment. 3. Height adjustments for the arm rests. 4. With artificial leather cover on the head, seat, leg areas. 5. 4 luxurious castors with brake. <p>Function: Suitable for hospital electric therapy treatment table use.</p>		
		Vestibular Balls	<p>4 Sizes per set 45cm, 55 cm, 65cm, 75cm Material Rubber Pattern Plain Shape Round</p>	5 sets	
		Wall Bars	<p>Size: 190*70*10 Material: beech wood Or Poplar Wood Weight bearing:150kgs MOQ: 100pcs</p>	2 sets	
		Wedge Bolsters	<p>Dimensions: 24"W x 10"H x 24"L with a flat top and a 36" incline.</p>	3 pcs	
		Wind Up Toys	<p>Wind up toys,powered by a metal spring that is tightened by turning it,classical funny simple games,non-toxic and odor-free. Wind-up toys measure about 2 inch, including dinosaur,egg,cat,bird,caterpillar,be etle and car etc. Package content: 16 no duplicate wind up toys(contents and color may vary)</p>	1 set	
		Wordless Picture Books	<p>Language : English Hardcover : 32 pages Reading age : 4 - 6 years Item Weight : 1.28 pounds Dimensions : 10.25 x 0.5 x 12 inches</p>	5 pcs	
		Human Head Model	<p>Plastic, life-size anatomical cast with removable jaw and 3 removable lower teeth Type: Skull Model Material: PVC Dimension: app.21x15x19cm/8.27x5.91x7.48i n Color: As the picture shown Quantity: 1 Set</p>	1 set	

		Indoor Climbing Walls	Six Wood Panels Adjustable Anchor Kit Wall Bracket Letter Climbing Handholds Number Climbing Handholds Character Climbing Handholds Plain Climbing Handholds	1 set	
		Soft and Foldable Ball Pit w/ balls	Medium Square: 78.7"L x 47.2"W x 15.7"H x 1.9". Weighs 20 lbs. Holds 4-5 kids and 1000 3" Diameter balls. Pistachio, blue, orange and lilac. Medium Padding: 78.7"L x 47.2"W x 0.78". Weighs 20 lbs.	1 set	
		Pediatric Walker	Height-adjustable frame sizes 360-degree swivel front casters Rubber tire design	1 units	
		Stationary Bike	Dimensions: (108 X 28 X 88 cm) Weight:(52kg) 18 kg Flywheel 32 Electronic Resistance Levels 3.75 inch LCD Display 12 Pre-Set Workouts + 3 Target Programs HRC, Recovery & User Defined Function Seat Height - 75 cm - 95 cm Vertical & Horizontal Seat Adjustment Comfort Racing Saddle Max. User Weight - 135 kg Built-in Transport Wheels Self-Generating Power Water Bottle Holder Floor Level Adjustment, Handlebar Adjustment, Adjustable Foot Straps, Dual handlebars	2 units	
		Trampoline with handrail	40-inch jumping surface area Handrail adjusts from 28.5" to 36.5"H 16lbs. Holds up to 300 lbs Black	2 sets	
		Treadmill	Motor Duty: 1.5 HP (Continue); 2.75 HP (Peak) Speed Range: 1.0~16 Km/Hr 15-Level Power Incline Voltage: 220 Volt (110V Available) Manual Fold Up with Gas Assist None Impact Cushion Deck	2 units	

			<p>4 Instant Speed Buttons (3, 6, 9, 12) 4 Instant Incline Buttons (2, 4, 8, 12) Incline & Speed Buttons on the Handrails Built-in Transport Wheels for Easy Transport and Storage Running Surface: 129 L x 41 W (cm) One Large LCD Screen Display with Blue Back Light Program: 12 Pre-set Programs Functions: Time, Speed, Distance, Calories, Incline, and Pulse</p>		
		Tumble Barrels	<p>Inside Diameter 12" Outside Diameter: 22" Weight Capacity: 250 lbs Latex Free</p>	2 units	
		ADL Boards	<p>6 colors, 6 different dressing skills training. It is a good way to exercise your child's finger flexibility and help the kids learn the most basic dressing skills. Is a good parent-child toy. Also a good preschool education and kindergarten toys. A quiet skill book made of cardboard and non-woven fabric. Suitable for children 2-7 years old. Package Dimensions: 11.73 x 9.76 x 2.28 inches Item Weight: 1.28 pounds</p>	1 set	
		Adaptive Swim Life Jacket for Disabled	<p>- Small: 20 to 24 Kg - Medium: 32 to 45 Kg</p>	2 pcs	
		Geometric Shapes Set	<p>8-12 Shapes/Forms Wood and/or non-toxic plastic Shapes include sphere, square, cylinder, round cylinder, cone, cube, hexagonal prism, triangular prism, square based pyramid, octagonal prism, pentagonal prism, and 1/2 sphere</p>	2 sets	
		Standing Frame w/ tray	<p>Tray (WxD) 77 x 71cm (30.3"x28") Strap Length Max. 114cm (45") Strap Pad Size 45 x 15cm (17.7"x6") Base to Tray Height 107cm (42.1")</p>	2 units	

			<p>Base to Knee Pad Height 35 - 54cm (13.8"-21.3") Base (WxD) 82 x 89cm (32.2"x35") Overall Size (WxDxH) 82 x 89 x 110cm (32.2"x35"x43.3") Product Weight 15kg</p>		
		Stroller	<p>Three size and four-color accent options Aluminum cast frame for lightweight stability Transit compatible and foldable for portability The Reach Transit Stroller comes standard with fixed seat tilt (10, 20, 30 degrees), hip angle adjustment, QR 12" poly rear wheels, 7" poly front casters, height adjustable push handle, height adjustable foot plate, foot activated hub lock, under seat storage bag, and sunshade.</p>	3 units	
		Platform Swings	<p>Adjusts in tilt using control lines attached to a top disc Features a soft padded edge that prevents therapist injury Can be used in a range of positions, including sitting, standing, prone, and supine Adaptation provides security for clients who feel uncomfortable taking their feet off the floor Adaptation makes it possible to introduce infants and smaller children to the Platform Swing Dimensions: 31"L x 31"W x 60"H Working Load: 300 lbs. Weight: 21 lbs.</p>	1 units	
		wheel chair	<p>Net weight: 19kg Seat width: 46cm Seat Height: 40cm Max Weight Capacity: 100kgs Back Wheel Size: 59cm Front Castor Size: 20cm Total Width: 65cm</p>		
20.2	<i>No further requirement</i>				
21.2	<i>No Further Instructions</i>				

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. *In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.*}

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project or Framework Agreement specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents – The following documents shall be submitted upon delivery:</p> <ol style="list-style-type: none"> 1. Delivery Receipts 2. Charge Invoice 3. Statement of Account <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery terms applicable to this Contract are delivered <i>at Department of Education-Baguio City</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>the Program Owner and Vima Cadungog</i>.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <p>performance or supervision of on-site assembly and/or start-up of the supplied Goods;</p> <p>furnishing of tools required for assembly and/or maintenance of the supplied Goods;</p> <p>furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</p> <ol style="list-style-type: none"> a. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and b. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

	<p>c. The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p>
	<p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <ol style="list-style-type: none"> 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and 2. in the event of termination of production of the spare parts: <ol style="list-style-type: none"> i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period <i>twenty four (24) months</i>.</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within one (1) month of placing the order.</p> <p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly</p>

	<p>provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p>
	<p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity</p> <p>Name of the Supplier</p> <p>Contract Description</p>
	<p>Final Destination</p> <p>Gross weight</p> <p>Any special lifting instructions</p> <p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p> <p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of</p>

	Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
2.2	<p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p> <p>Regular and Recurring Services – None</p> <p><i>No partial payment</i></p>
4	The inspections and tests that will be conducted shall be in accordance with the Section VII Technical Specifications. A visual comparison will be made with the approved sample for purposes of consistency in the physical appearance and color.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot	Specification	Quantity	Delivery Period
Lot 1	Semi-Expendable Equipment and Specialized Tools for Inclusive Learning Resource Service Areas as follows:		within 30 days after NTP

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

In case of Renewal of Regular and Recurring Services, the Procuring Entity must indicate here the technical requirements for the service provider, which must include the set criteria in the conduct of its performance evaluation.

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
<p>LOT 1</p>	<p>Semi-Expendable Equipment and Specialized Tools for Inclusive Learning Resource Service Areas</p> <p>NOTE: PLEASE REFER TO ANNEX “A”</p>	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (g) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC) **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the

potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.


II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; **and**
- (j) Original of duly signed and accomplished Price Schedule(s).


Other documentary requirements under RA No. 9184 (as applicable)


- (k) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.




Stock No.	Unit	Item Description		Quantity
1	unit	Adjustable height exercise steps	Product Dimensions: 31" L x 11" W x 8" H Adjustable height: 4", 6", 8" can support up to 550 lbs Firm, non-stick, non-slip, and shock-absorbing platform surface	3
2	unit	Anatomical Models / Human Muscle and Organ Model	- 1/2 life size, PVC Material - can be disassembled into 27 parts	1
3	unit	Articulation Cards 	7 illustrated card decks (448 cards, 3 1/4" x 4 1/4") – Each deck of 32 picture-word card pairs targets a specific speech sound - P, B, T, D, M, J, Includes storage tins in a metal tote, master word lists, 50 smiley face tokens, and game ideas	3
4	unit	Augmentative communication systems	Pocket Go-Talk 5-Level Communication Device Five message buttons at 2.2cm x 3.8cm (7/8" x 1 1/2") Five recording levels 4.16 minutes total recording time (10 seconds per message) Dial controlled volume button Excellent sound quality Two AA batteries included Low power consumption Record and level lock capable 7.6cm x 13.6cm x 3.8cm 212 grams (7.5 oz)	3
5	unit	Balance Board	Type: Rocker Board Dimensions: 32.28 x 11.81 x 0.59 inches Weight Capacity: 100 kg Material: Beech Wood Anti-Skid Feature: Not Specified	2
6	unit	Basic Vocabulary Board	Each unit comes with: Flashcards Smash mat Trace and color Cut and glue Flipbook Black and white versions of all activities!	2
7	pc	Bean Bag Chairs	Dimensions: 3 ft x 3 ft x 2 ft Weight: Approximately 16 lbs Feature: Removable Machine Washable Cover and Durable Internal Liner included	2
8	unit	Bean Bag Chairs	Dimensions: 4 ft x 4 ft x 2.5 ft Weight: Approximately 49 lbs Feature: Removable Machine Washable Cover and Durable Internal Liner included	2
9	pc	Bean Bag Chairs	Dimensions: 5 ft x 5 ft x 2.5 ft Weight: Approximately 59 lbs Feature: Removable Machine Washable Cover and Durable Internal Liner included	2
10	unit	Call lights	Colors: Red, Blue, Green or mix Different color for different service type It can work with 30 transmitter in max. With separate output power supply: DC5V The prompting sound can be turned on/off Dimension: 78*78*60mm Color: white	2
11	set	Communication boards	- set of 50 pcs cards, ring and retractable rope - size: 3.8 x 2.3 inches - round corner cut safe for little hands from scratching and poking	3




12	pc	Core Peak Bolsters	Core Peak Bolster Peaked shape fits comfortably under your knees Precision-cut foam 10" x 24", with 7" peak	3
13	pc	Dry Erase sleeves	 Size: 10x14 inches Assorted colors with dry erase pens	30
14	set	Dumbbells Sets	5 pcs per set 1 pc of 1kg, 2kg, 3kg, 4kg, and 5kg Double dipped Neoprene coating that won't scratch or take off Non-slip handles, secure safe grip Indestructable iron steel weight	2
15	pc	Floor Mats / Interlocking Mat	Dimension: 1m x 1m x 24mm Material: rubber Colors: blue, red, orange, yellow, green, brown, grey, black, maroon	20
16	pc	Foam Rolls	Material: Expanded Polypropylene Foam Item Weight: 0.42 Pounds Size: 18 inches	5
17	pc	Gait belt	Material: vinyl Size: 60 x 2 inches	3
18	pc	Goniometers	Protractro Goniometer with 360 degrees coverage to measure joint and compare the changes in joint angles Material: clear plastic 3 Goniometer: 12 inch, 8 inch and 6 inch	2




19	Unit	Gait Trainer	Waist and Chest Supported Material: Metal	3
20	pc	Hand Dynamometer	Type: Electronic Counting Gripper Function: Comprehensive Fitness Exercise Material: ABS Size: 15cm/5.90"x10.5cm/4.13"x2cm/0.79"	3
21	set	Hydrocollator with assorted hot packs	Includes (3) Standard HotPacs, (3) Oversize and (3) Cervical HotPacs sku: CHT-2402-2 Full fiberglass insulation prevents heat loss through the walls of the unit Included heat pack assortment provides packs for an assortment of treatments	2
22	pc	Ice Massage Caps	Measuring 2.9" in diameter, the ice cup massager holder also fits comfortably in the hand. Material: Polyethylene	5
23	piece	Kidney Shaped Table	Suitable for seating up to six children and an adult. Ideal for using as a teacher's table or for group work. Height adjustable between 38-60cm Features <ul style="list-style-type: none"> •Material: Metal & Wood •Length:180 cm •Width:120 cm •Assembly type: Self-Assembly •Age Range: Suitable for 3 to 11 years 	1



24	set	Kidney-shape table with learner's chair	<ul style="list-style-type: none"> - Includes four 6" stacking chairs and one 36" x 72" kidney-shaped activity table - Tabletop Material: 1 1/8" thick particleboard w/ melamine finish - Edge Band Material: 3mm PVC - Leg Material: Powder-coated tubular steel 	2
25	set	Kindergarten /Children's table with chairs	<ul style="list-style-type: none"> - Table size: 120 x 60 x 50 cm. - Chair size: 35 x 28 x 53 cm - Frosted Table Top - Rounded Table Corner - 1 table with 4 chairs - colors: yellow/blue/gree/red - heavy duty 	4
26	piece	Kinesiology Tape	<p>Ultra-Strong and Sticky-Hypoallergenic Adhesive Water Resistant 97% Cotton, 3% Nylon 180% Stretch for Full Range of Motion Latex and Zinc Free Sticks 2-7 Days 5-10 Applications per Roll each is 2"x 16.4" (5cmx5cm)</p>	50
27	unit	Mat Table	<p>Wood construction adds strength and an attractive natural finish. Supports up to 500 lbs for better patient accommodation. Heavyweight vinyl upholstery is comfortable and strong. Thick foam padding provides patient comfort for a better experience. Five-leg design with center support ensures stability through heavy treatment. Height: 18" Weight Capacity: 500 lbs Size: 4 ft Wide x 7 ft Long</p>	1
28	piece	Mobilization belts and devices	<p>Main material: nylon Size: approx. 8.2 feet in length, about 2 inches in width</p>	5




29	unit	Multiple mode Electrical Stimulator	<p>SPECIFICATION: Dimension: 170 x 60 x 26 (mm) Channel: two independent channels Power supply: 9V battery x 1 pcs Output: 0~100mA P to P into 500Ω load Density(Intensity): change of 15 steps pulse amplitude TimeR: 30 minutes countdown timer with auto off Wave for dual phases square wave</p> <p>STANDARD ACCESSORIES: Electrical Stimulator 1 Stimulator Lead Wire 2 Self Adhering Electrode 4 Operating Manual 1 9V Battery 1 Reusable Package Box 1</p>	3
30	unit	Non Contact Thermometer	<p>Measuring Distance 0.4” – 2” (1 – 5cm) Measuring Time ≤ 2 seconds. Measuring Accuracy ±0.2°C. Temperature Measurement Range Body mode: 93.2° – 109.2°F (34 – 42.9°C)</p>	5
31	unit	Paraffin bath	<p>Bath arm, hand and foot Usage: Wax Fomentation Condition: New Voltage: 220V AC Power:2 Kw Tank Size: 50cm x 35cm x 25cm deep</p>	3
32	piece	Pediatric Examination Gowns	<p>Opening: Full Open Back Style: Child Size Color: JellyBean Print Made with high quality, 100% Cotton Comfortable, durable, washable, and reusable Hook and loop closures at neck and mid-back</p>	10
33	pack	Phonics Phones / Whisper Phones	- pack of 16	2





34	piece	Reflex Neuro Hammer	Material: Zinc Alloy + PVC Color: Black Package size: 27*11*3.5cm/10.6*4.3*1.3 inch Package weight: 140g/4.9oz	4
35	piece	Round Bolsters	6" Round Bolster	3
36	unit	Sphygmomanometer / BP Apparatus	PRODUCT DETAILS Type: Upper-Arm Monitor Type: Digital Cuff Size: 32cm Dimension (W x H x D): 145 x 466 x 145mm Weight: 250g TECHNICAL DETAILS Power Supply: Battery Battery Type: Li-Polymer FEATURES Smart App Availability: Yes	2
36	unit	Sphygmomanometer / BP Apparatus with stethoscope	PRODUCT DETAILS Type: Upper-Arm Monitor Type: Manual Cuff Size: 32cm Dimension (W x H x D): 145 x 466 x 145mm Weight: 250g	2
37	set	Splinting materials	Rescue Padded Board Splint 6 padded wood splint (Different sizes) Sizes: 35", 25" and 15" Velcro Straps Color: blue	3
38	unit	Step stools	Double Steel Caravan Step. Rubber Non- Slip Steps. Leg Distance Front to Back 65 cm. Width 42 cm. Top Step Height 38 cm. Bottom Step 20 cm.	5




39	unit	Stethoscope	<p>Weight: 185g Length: 80cm Product material: polymer diaphragm Listener material: High-density stainless steel Product composition: eartip, ear hooks, leaf spring, hose heads, diaphragms</p>	2
40	set	TheraBand	<p>Material: Rubber Color: Blue/Black Sport Type: Exercise And Fitness/Pilates Heavy set includes the fifth and sixth of eight levels of Latex Resistance Tubes, Blue, 100%, 5.8 lbs., 200%, 8.6 lbs., Black, 100%, 7.3 lbs., 200%, 10.2 lbs.</p>	8
41	unit	Therapist stools on wheels	<p>Description: 360-degree swivel thick padding saddle seat</p>	5
42	unit	Treatment Table	<p>Multi Functions Physical Electric Therapy Treatment Table Size: L2040*W560*H550-820mm Product Feature☑ 1. Electric operation,3 sections, new design epoxy metal frame. 2. Equipped with 3 motors for height, back and leg rest adjustment. 3. Height adjustments for the arm rests. 4. With artificial leather cover on the head, seat, leg areas. 5. 4 luxurious castors with brake. Function: Suitable for hospital electric therapy treatment table use.</p>	3
43	set	Vestibular Balls	<p>4 Sizes per set 45cm, 55 cm, 65cm, 75cm Material Rubber Pattern Plain Shape Round</p>	5




44	set	Wall Bars	Size: 190*70*10 Material: beech wood Or Poplar Wood Weight bearing:150kgs MOQ: 100pcs	2
45	piece	Wedge Bolsters	Dimensions: 24"W x 10"H x 24"L with a flat top and a 36" incline.	3
46	set	Wind Up Toys 	Wind up toys,powered by a metal spring that is tightened by turning it,classical funny simple games,non-toxic and odor-free. Wind-up toys measure about 2 inch, including dinosaur,egg,cat,bird,caterpillar,beetle and car etc. Package content: 16 no duplicate wind up toys(contents and color may vary)	1
47	piece	Wordless Picture Books	Language: English Hardcover: 32 pages Reading age: 4 - 6 years Item Weight: 1.28 pounds Dimensions: 10.25 x 0.5 x 12 inches	5
48	set	Human Head Model	Plastic, life-size anatomical cast with removable jaw and 3 removable lower teeth Type: Skull Model Material: PVC Dimension: app.21x15x19cm/8.27x5.91x7.48in Color: As the picture shown Quantity: 1 Set	1
49	set	Indoor Climbing Walls	Six Wood Panels Adjustable Anchor Kit Wall Bracket Letter Climbing Handholds Number Climbing Handholds Character Climbing Handholds Plain Climbing Handholds	1
50	set	Soft and Foldable Ball Pit w/ balls	Medium Square: 78.7"L x 47.2"W x 15.7"H x 1.9". Weighs 20 lbs. Holds 4-5 kids and 1000 3" Diameter balls. Pistachio, blue, orange and lilac. Medium Padding: 78.7"L x 47.2"W x 0.78". Weighs 20 lbs.	1



51	unit	Pediatric Walker	Height-adjustable frame sizes 360-degree swivel front casters Rubber tire design	1
52	unit	Stationary Bike	Dimensions: (108 X 28 X 88 cm) Weight:(52kg) 18 kg Flywheel 32 Electronic Resistance Levels 3.75 inch LCD Display 12 Pre-Set Workouts + 3 Target Programs HRC, Recovery & User Defined Function Seat Height - 75 cm - 95 cm Vertical & Horizontal Seat Adjustment Comfort Racing Saddle Max. User Weight - 135 kg Built-in Transport Wheels Self-Generating Power Water Bottle Holder Floor Level Adjustment, Handlebar Adjustment, Adjustable Foot Straps, Dual handlebars	2
53	set	Trampoline with handrail	40-inch jumping surface area Handrail adjusts from 28.5" to 36.5"H 16lbs. Holds up to 300 lbs Black	2
54	unit	Treadmill	Motor Duty: 1.5 HP (Continue); 2.75 HP (Peak) Speed Range: 1.0~16 Km/Hr 15-Level Power Incline Voltage: 220 Volt (110V Available) Manual Fold Up with Gas Assist None Impact Cushion Deck 4 Instant Speed Buttons (3, 6, 9, 12) 4 Instant Incline Buttons (2, 4, 8, 12) Incline & Speed Buttons on the Handrails Built-in Transport Wheels for Easy Transport and Storage Running Surface: 129 L x 41 W (cm) One Large LCD Screen Display with Blue Back Light Program: 12 Pre-set Programs Functions: Time, Speed, Distance, Calories, Incline, and Pulse	2
55	unit	Tumble Barrels	Inside Diameter: 22" Outside Diameter: 22" Weight Capacity: 250 lbs Latex Free	2



56	set	ADL Boards	<p>6 colors, 6 different dressing skills training. It is a good way to exercise your child's finger flexibility and help the kids learn the most basic dressing skills.</p> <p>Is a good parent-child toy. Also a good preschool education and kindergarten toys. A quiet skill book made of cardboard and non-woven fabric.</p> <p>Suitable for children 2-7 years old.</p> <p>Package Dimensions: 11.73 x 9.76 x 2.28 inches</p> <p>Item Weight: 1.28 pounds</p>	1
57	piece	Adaptive Swim Life Jacket for Disabled	<p>- Small: 20 to 24 Kg</p> <p>- Medium: 32 to 45 Kg</p>	2
58	sets	Geometric Shapes Set	<p>8-12 large Shapes/Forms</p> <p>Wood and/or non-toxic plastic</p> <p>Shapes include sphere, square, cylinder, round cylinder, cone, cube, hexagonal prism, triangular prism, square based pyramid, octagonal prism, pentagonal prism, and 1/2 sphere</p>	2
59	unit	Standing Frame w/ tray	<p>Tray (WxD) 77 x 71cm (30.3"x28")</p> <p>Strap Length Max. 114cm (45")</p> <p>Strap Pad Size 45 x 15cm (17.7"x6")</p> <p>Base to Tray Height 107cm (42.1")</p> <p>Base to Knee Pad Height 35 - 54cm (13.8"-21.3")</p> <p>Base (WxD) 82 x 89cm (32.2"x35")</p> <p>Overall Size (WxDxH) 82 x 89 x 110cm (32.2"x35"x43.3")</p> <p>Product Weight 15kg</p>	2
60	unit	Stroller	<p>Three size and four-color accent options</p> <p>Aluminum cast frame for lightweight stability</p> <p>Transit compatible and foldable for portability</p> <p>The Reach Transit Stroller comes standard with fixed seat tilt (10, 20, 30 degrees), hip angle adjustment, QR 12" poly rear wheels, 7" poly front casters, height adjustable push handle, height adjustable foot plate, foot activated hub lock, under seat storage bag, and sunshade.</p>	3



61	unit	Platform Swings	<p>Adjusts in tilt using control lines attached to a top disc</p> <p>Features a soft padded edge that prevents therapist injury</p> <p>Can be used in a range of positions, including sitting, standing, prone, and supine</p> <p>Adaptation provides security for clients who feel uncomfortable taking their feet off the floor</p> <p>Adaptation makes it possible to introduce infants and smaller children to the Platform Swing</p> <p>Dimensions: 31"L x 31"W x 60"H</p> <p>Working Load: 300 lbs.</p>	1
62	unit	wheel chair	<p>Net weight: 19kg</p> <p>Seat width: 46cm</p> <p>Seat Height: 40cm</p> <p>Max Weight Capacity: 100kgs</p> <p>Back Wheel Size: 59cm</p> <p>Front Castor Size: 20cm</p> <p>Total Width: 65cm</p>	3

